gastro.cz
PRODUCTION

2018

COOLING TECHNIQUE

CATALOGUE

373 81 Kamenný Újezd
Zemědělská 500, Czechia
sales@gastro.cz

GASTRO PRODUCTION
www.gastro.cz

030101 - Showcase BK 3
030102 - Showcase PB 4
030103 - Showcase KE 5
030104 - Showcase BB 7
030105 - Showcase VE 8
030106 - Showcase Hangee 9
030107 - Showcase MT 10
030108 - Showcase Sugar 11
030109 - Showcase Circuma 12
0302 - Cooling box for KEGS 13
0303 - Cooling plates 14
0304 - Cooling tubs ventilated 15
0305 - Cooling tubs static 17
030601 - Beverage cooling table 18
030602 - Cooling table GN 20
030603 - Lowered cooling table GN 23
030604 - Sushi 25
030605 - Cooling Tables for Trays 27
030701 - Freezing table GN 28
030702 - Lowered freezing table GN 31
0308 - Extensions build in 33
0309 - Extensions build on top 34
0310 - Cooling box for dustbins 36
0311 - Sausage Counters 37

Renders & Drawings

About

Refrigerated showcase ensure great conditions for storing food and also help to eliminate the food getting out of their quality. Cuboid-shaped, promotional display, glass from each side of the showcase - designed to display objects through each side.

Suitable for shops or canteens, where customers can see the products inside the showcase. However only staff can get the products out (the doors are made only from one side of the showcase).

Made from stainless steel material, so it is easy to clean and guarantees a long-term service life. You can choose to light up a showcase or not. Our showcases are designed with security in mind – we offer this showcase either in lockable or non-lockable version. If it comes to cover/ opening, you can choose from tilting glass, sliding doors, or clapper doors. Every design brings you comfort. The decision is up to you.

Tilting glass
€ xxx

Sliding doors
€ xxx

Clappers
€ xxx

Configuration Table

Customer side		Service side		Cooling system		LED		Tub		Lock		Plinth		Painting		Length	Width	Height
GL	Tilting glass	GL	Tilting glass	A	Aggregate	Y	With LED	T	With tub	L	With lock	10	100mm	R	RAL	0800	0700	1250
CP	Clapper doors	CP	Clapper doors	C	Central cooling	X	Without	X	Without	X	Without lock	15	150mm	B	Brass	1000		
SD	Sliding doors	SD	Sliding doors									16	160mm	X	Without	1200		
OP	Opened	OP	Opened									17	170mm			1400		
CL	Closed	CL	Closed									XX	0mm			1600		

Configuration Example

Standard configuration example.
030101-CPSDA-1200x0700x1250

030101	- Baker Hansen showcase
CP	- Customer side: Clapper doors
SD	- Service side: Sliding door
A	- Cooling system: Aggregate
1200x0700x1250	- Dimension (length x width x height)

Showcase BK

CODE	LENGTH	WIDTH	HEIGHT	PRICE
030101-CPSDA-0800	0800	0700	1250	
030101-CPSDA-1000	1000	0700	1250	
030101-CPSDA-1200	1200	0700	1250	
030101-CPSDA-1400	1400	0700	1250	
030101-CPSDA-1600	1600	0700	1250	



Renders & Drawings

About

This type of showcase is freestanding on the floor, which is suitable for almost every kitchen.

Refrigerated showcase ensure a great conditions for storing food and also helps eliminate the food getting out of their quality.

Suitable for shops, canteens or gas station, where customers can take the products out of the showcase on their own (without any help of the staff).

Made from stainless steel material, so it is easy to clean and guarantees a logn term service life. You can choose to light up a showcase or not. Our showcases are designed with security in mind – we offer this showcase either in lockable or non-lockable version. Every design brings you comfort.

Configuration Table

Type		Shelves		Design		Cooling system		LED		Lock		Plinth		Painting		Length	Height
N	Normal	SL	Sloping	OP	Opened	A	Aggregate	Y	With LED	L	With lock	10	100mm	R	RAL	0800	1600
L	Little	ST	Straight	HD	With doors	V	Central cooling	X	Without	X	Without	15	150mm	B	Brass	1000	2025
				SL	With sliding doors							16	160mm	X	None	1200	
												17	170mm			1400	
												XX	0mm			1600	
																1800	

Configuration Example

Standard configuration example.
030102-NSLOPA-1200

030102	- PB showcase
SL	- Shelves: Sloping
OP	- Design: Opened
A	- Cooling system: Aggregate
1200	- Length: 1200mm

Showcase Little PB

CODE	LENGTH	WIDTH	HEIGHT	PRICE
030102-LSTOPA-0800	0800	0730	1600	
030102-LSTOPA-1000	1000	0730	1600	
030102-LSTOPA-1200	1200	0730	1600	
030102-LSTOPA-1400	1400	0730	1600	
030102-LSTOPA-1600	1600	0730	1600	
030102-LSTOPA-1800	1800	0730	1600	



Showcase PB

CODE	LENGTH	WIDTH	HEIGHT	PRICE
030102-NSTOPA-0800	0800	0730	2025	
030102-NSTOPA-1000	1000	0730	2025	
030102-NSTOPA-1200	1200	0730	2025	
030102-NSTOPA-1400	1400	0730	2025	
030102-NSTOPA-1600	1600	0730	2025	
030102-NSTOPA-1800	1800	0730	2025	



Renders & Drawings

About

Free-standing showcases with cooling table situated under the showcase.

Suitable for supermarkets or canteens, where customers can see the products inside the showcase. There is enter on each side – the customer side and service side. You can choose to light up a showcase or not. Gastro offers a lockable or non-lockable version of these showcases.

The size is up to 3 GN.

Tilting glass
€ xxx

Sliding doors
€ xxx

Clapper doors
€ xxx

Configuration Example

Standard configuration example.
030103-2D1C2CPSD0-1200x0750x1660

030103	- Showcase KE
2	- Cooling table 2GN
D1	- 1.GN: 100 + 150
C2	- 2.GN: 2x Doors + Sliders
CP	- Customer side: Clapper doors
SD	- Customer side: Sliding doors
A	- Cooling system: Aggregate
1200x0750x1660	- Dimension (length x width x height)

Configuration Table

Cooling table		1.GN		2.GN		3.GN		Customer side		Service side		Cooling system		LED		Lock		Plinth		Painting		Length	Width	Height
1	Cooling table 1GN	D1	100 + 150	D1	100 + 150	D1	100 + 150	CP	Clapper doors	CP	Clapper doors	A	Aggregate	Y	With LED	L	With lock	10	100mm	R	RAL	0800	0700	1660
2	Cooling table 2GN	C1	1x Door + Sliders	C1	1x Door + Sliders	C1	1x Door + Sliders	FG	Fixed glass	FG	Fixed glass	C	Central Cooling	X	Without	X	Without	15	150mm	B	Brass	1200	0750	
3	Cooling table 3GN	C2	2x Doors + Sliders	C2	2x Doors + Sliders	C2	2x Doors + Sliders	GL	Tilting doors	GL	Tipping doors							16	160mm	X	No decor.	1600		
				XX	Nothing	XX	Nothing	SD	Sliding doors	SD	Sliding doors							17	170mm			2000		
								OP	Opened	OP	Opened							XX	XX					
								CL	Closed	CL	Closed													

Showcase KE

CODE	GN	LENGTH	WIDTH	HEIGHT	PRICE
030103-1C1XXXXSDSDA-0800x0700	1GN	0800	0700	1660	
030103-1C1XXXXSDSDA-0800x0750	1GN	0800	0750	1660	
030103-2C1C1XXSDSDA-1200x0700	2GN	1200	0700	1660	
030103-2C1C1XXSDSDA-1200x0750	2GN	1200	0750	1660	
030103-3C1C1C1SDSDA-1600x0700	3GN	1600	0700	1660	
030103-3C1C1C1SDSDA-1600x0750	3GN	1600	0750	1660	



customer side





service side

DETAIL B



Renders & Drawings



About

Showcases with two-sided service entrance. Can be placed on a table or there is a variation of this showcase on a frame.

The aggregate ensures a cooling system.

Size up to 6 GN.

Showcase BB

CODE	LENGTH	WIDTH	HEIGHT	PRICE
030104-D1GNCPSDA	0475	0700	0810	
030104-D2GNCPSDA	0775	0700	0910	
030104-D3GNCPSDA	1138	0700	0910	
030104-D4GNCPSDA	1500	0700	0910	
030104-D5GNCPSDA	1863	0700	0910	
030104-D6GNCPSDA	2225	0700	0910	



Configuration Example

Standard configuration example.
030104-D2GNCPSDA

030104	- Showcase BB
D	- Type: On the desk
2GN	- GN: 2GN
CP	- Customer side: Clapper doors
SD	- Service side: Sliding doors
A	- Cooling system: Aggregate

Configuration Table

Type		GN		Customer side		Service side		Cooling system		LED		Lock		Plinth		Painting		Length		Width		Height	
D	On the desk	1GN	1GN	FG	Fixed glass	SD	Sliding doors	A	Aggregate	Y	With LED	L	Lock	10	100mm	R	RAL	0800	800mm	0600	600mm	0910	910mm
F	On the frame	2GN	2GN	CP	Clapper doors	ND	Normal doors	C	Central co.	X	Without	X	None	15	150mm	B	Brass	1000	1000mm	0650	650mm		
		3GN	3GN	SD	Sliding doors	CL	Closed							16	160mm	X	No decor.	1200	1200mm	0700	700mm		
		4GN	4GN	CL	Closed	FG	Fixed glass							17	170mm			1400	1400mm	XXXX	acc to GN		
		5GN	5GN											XX	0mm			1600	1600mm				
		6GN	6GN															1800	1800mm				
		AAA	Atypical															XXXX	acc to GN				

Renders & Drawings

Configuration Table

Type		Cooling system		LED		Lock		Plinth		Painting		Length
D	On the desk	A	Aggregate	Y	With LED	L	With Lock	10	100mm	R	RAL	0800
F	On the frame	C	Central Cooling	X	Without	X	Without lock	15	150mm	B	Brass	1200
								16	160mm	X	No decoration	1600
								17	170mm			
								XX	0mm			

Configuration Example

Standard configuration example.
030105-FA-1200

030105	- Showcase VE
F	- Type: On the frame
A	- Cooling system: Aggregate
1200	- Length: 1200

Showcase VE

CODE	LENGTH	WIDTH	HEIGHT	PRICE
030105-DA-0800	0800	0700	1475	
030105-DA-1200	1200	0700	1475	
030105-DA-1600	1600	0700	1475	
030105-FA-0800	0800	0700	1475	
030105-FA-1200	1200	0700	1475	
030105-FA-1600	1600	0700	1475	





Renders & Drawings



Showcase Hangee

CODE	LENGTH	WIDTH	HEIGHT		
			Z=1400	Z=1500	Z=1600
030106-SLSSA-0800x0600x**[height]**	0800	0600			
030106-SLSSA-1200x0600x**[height]**	1200	0600			
030106-SLSSA-1600x0600x**[height]**	1600	0600			
030106-SLSSC-0800x0600x**[height]**	0800	0600			
030106-SLSSC-1200x0600x**[height]**	1200	0600			
030106-SLSSC-1600x0600x**[height]**	1600	0600			



Configuration Table

Front side		Back side		Cooling system		LED		Lock		Painting		Length	Width	Height
SL	Sliding door	SL	Sliding doors	A	Aggregate	Y	With LED	L	Lock	R	RAL	0800	0600	1400
		FG	Fixed glass	C	Central cooling	X	Without	X	Without	B	Brass	1200		1500
		SS	Steel sheet							X	No decoration	1600		1600

Configuration Example

Standard configuration example.
030106-A-0800x0600x1600

030106 - Showcase Hangee
A - Type: Cooling by aggregate
0800 - Length: 0800
0600 - Width: 0600
1600 - Height: 1600

Renders & Drawings

Configuration Table

Customer side		Service side		Cooling system		LED		Lock		Plinth		Painting		Length
WD	Wing doors	WD	Wing doors	A	Aggregate	Y	With LED	L	Lock	10	100mm	R	RAL	0800
SD	Sliding doors	SD	Sliding doors	C	Central cooling	X	Without	X	Without lock	15	150mm	B	Brass	1000
CL	Closed	CL	Closed							16	160mm	X	No decor.	1200
										17	170mm			1400
										XX	0mm			1600

Configuration Example

Standard configuration example.
030107-SDWDA-1000

030107	- Showcase MT
SD	- Customer side: Sliding doors
WD	- Service side: Wing doors
A	- Cooling system: Aggregate
1000	- Length: 1000

Showcase MT

CODE	LENGTH	WIDTH	HEIGHT	PRICE
030107-WDCLA-0800	0800	0800	2400	
030107-WDCLA-1000	1000	0800	2400	
030107-WDCLA-1200	1200	0800	2400	
030107-WDCLA-1400	1400	0800	2400	
030107-WDCLA-1600	1600	0800	2400	



Renders & Drawings

Configuration Table

Cooling system		LED		Lock		Plinth		Painting		Length
A	Aggregate	Y	With LED	L	With Lock	10	100mm	R	RAL	0800
C	Central Cooling	X	Without	X	Without	15	150mm	B	Brass	1000
						16	160mm	X	No decor.	1200
						17	170mm			1400
						XX	0mm			1600

Configuration Example

Standard configuration example.
030108-A-1600

030108 - Showcase Sugar
A - Cooling system: Aggregate
1600 - Length: 1600

Showcase Sugar

CODE	LENGTH	WIDTH	HEIGHT	PRICE
030108-A-0800	0800	0700	2650	
030108-A-1000	1000	0700	2650	
030108-A-1200	1200	0700	2650	
030108-A-1400	1400	0700	2650	
030108-A-1600	1600	0700	2650	



Renders & Drawings

Configuration Table

Cooling system		LED		Lock		Plinth		Painting		Diameter	Height
A	Aggregate	Y	With LED	L	With Lock	10	100mm	R	RAL	1600	0900
C	Central Cooling	X	Without	X	Without	15	150mm	B	Brass		
						16	160mm	X	No decor.		
						17	170mm				
						XX	0mm				

Configuration Example

Standard configuration example.
030109-A-1600

030109 - Showcase Circuma

Showcase Circuma

CODE	DIAMETER	HEIGHT	PRICE
030109-A-1600x0900	1600	0900	





Renders & Drawings

Configuration Table

Type	
4KEG	4 Barrels
6KEG	6 Barrels
8KEG	8 Barrels

Configuration Example

Standard configuration example.
0302-6KEG

0302	- Cooling box for KEGS
6KEG	- Type: 6KEG

Cooling box for KEGS

CODE	LENGTH	WIDTH	HEIGHT	KEGS	PRICE
0302-4KEG	1000	0993	0950	4	
0302-6KEG	1400	0993	0950	6	
0302-8KEG	1880	0993	0950	8	



Renders & Drawings

Configuration Table

Cooling system		Type		Amount of GN	
S	Separate aggregate	DI	Drop-ip	1GN	1
A	Integrated aggregate	GL	Glued	2GN	2
C	Central cooling	UH	Under-hang	3GN	3
				4GN	4
				5GN	5
				6GN	6
				AAA	Atypical

Configuration Example

Standard configuration example.
0303-ADI3GN

0303	- Cooling plates
A	- Integrated aggregate
DI	- Type: Drop-in
3GN	- Amount of GN: 3GN

Cooling plate drop-in without aggregate

CODE	LENGTH	WIDTH	HEIGHT	CUT OUT	PRICE
0303-CDI1GN	0365	0570	0048	345x550	
0303-CDI2GN	0690	0570	0048	670x550	
0303-CDI3GN	1015	0570	0048	995x550	
0303-CDI4GN	1340	0570	0048	1320x550	
0303-CDI5GN	1665	0570	0048	1645x550	
0303-CDI6GN	1990	0570	0048	1970x550	



Cooling plate drop-in with aggregate

CODE	LENGTH	WIDTH	HEIGHT	CUT OUT	PRICE
0303-ADI1GN	0365	0570	0293	345x550	
0303-ADI2GN	0690	0570	0293	670x550	
0303-ADI3GN	1015	0570	0293	995x550	
0303-ADI4GN	1340	0570	0293	1320x550	
0303-ADI5GN	1665	0570	0293	1645x550	
0303-ADI6GN	1990	0570	0293	1970x550	



Renders & Drawings

Configuration Table

Type		Amount of GN	Cooling system		Plinth	
DI	Drop-ip	2GN	S	Separate aggregate	10	100mm
UD	Under the desk	3GN	A	Integrated aggregate	15	150mm
WD	Welded	4GN	C	Central cooling	16	160mm
		5GN			17	170mm
		6GN			XX	No plinth

Configuration Example

Standard configuration example.
0304-DI3GN

0304	- Cooling tub ventilated
DI	- Type: Drop-in
3GN	- Amount of GN: 3GN
A	- Cooling system: Integrated Aggregate

Cooling tub ventilated - drop-in

CODE	LENGTH	WIDTH	HEIGHT	PRICE
0304-DI2GNA	0765	0690	0900	
0304-DI3GNA	1090	0690	0900	
0304-DI4GNA	1415	0690	0900	
0304-DI5GNA	1740	0690	0900	
0304-DI6GNA	2065	0690	0900	









GN2 = X1=720; X2=710; X3=765;
GN3 = X1=1045; X2=1035; X3=1090;
GN4 = X1=1370; X2=1360; X3=1415;
GN5 = X1=1695; X2=1685; X3=1740;
GN6 = X1=2020; X2=2010; X3=2065;

Cooling tub ventilated - under the desk

CODE	LENGTH	WIDTH	HEIGHT	PRICE
0304-UD2GNA	0710	0635	0900	
0304-UD3GNA	1035	0635	0900	
0304-UD4GNA	1360	0635	0900	
0304-UD5GNA	1685	0635	0900	
0304-UD6GNA	2010	0635	0900	









GN2 = X1=665, X2=705, X3=710;
GN3 = X1=990, X2=1030, X3=1035;
GN4 = X1=1315, X2=1355, X3=1360;
GN5 = X1=1640, X2=1680, X3=1685;
GN6 = X1=1965, X2=2005, X3=2010;

Renders & Drawings



Configuration Table

Montage		Cooling system		Amount of GN	Plinth	
DI	Drop-ip	S	Separate aggregate	2GN	10	100mm
WD	Welded	A	Integrated aggregate	3GN	15	150mm
UD	Under the desk	C	Central cooling	4GN	16	160mm
				5GN	17	170mm
				6GN	XX	No plinth

Configuration Example

Standard configuration example.
0305-DIUH3GNA

0305	- Cooling tub static
DI	- Type: Drop-in
A	- Cooling system: Integrated aggregate
3GN	- Amount of GN: 3GN

Cooling tub static

CODE	LENGTH	WIDTH	HEIGHT	PRICE
0305-DIA1GN	0425	0630	0524	
0305-DIA2GN	0750	0630	0524	
0305-DIA3GN	1075	0630	0524	
0305-DIA4GN	1400	0630	0524	
0305-DIA5GN	1725	0630	0524	
0305-DIA6GN	2050	0630	0524	





Renders & Drawings

Configuration Example

Standard configuration example.
030601-3D2C1D3XXSR

030601	- Beverage cooling table
3	- Type: 3 chambers
D2	- 1. Chamber: 1/3+1/3+1/3
C1	- 2. Chamber: Door
D3	- 3. Chamber: 1/3+2/3
*	- The rest chambers: Nothing
SR	- Aggregate: Standard aggregate

Configuration Table

Type		1. Chamber		2. Chamber		3. Chamber		4. Chamber		Aggregate		Control panel		Square tube		Lifting		Waterproof Aggr. / C. panel	
1	1 Chamber	D1	1/2+1/2	D1	1/2+1/2	D1	1/2+1/2	D1	1/2+1/2	SR	Standard right	SR	Standard right	2	20mm	Y	Yes	W	Waterproof
2	2 Chambers	D2	1/3+1/3+1/3	D2	1/3+1/3+1/3	D2	1/3+1/3+1/3	D2	1/3+1/3+1/3	MR	Minimal right	MR	Minimal right	3	30mm	X	No	X	Without
3	3 Chambers	D3	1/3+2/3	D3	1/3+2/3	D3	1/3+2/3	D3	1/3+2/3	SL	Standard left	SL	Standard left	4	40mm				
4	4 Chambers	D4	5/12+7/12	D4	5/12+7/12	D4	5/12+7/12	D4	5/12+7/12	ML	Minimal left	ML	Minimal left	X	Without				
		D5	7/12+5/12	D5	7/12+5/12	D5	7/12+5/12	D5	7/12+5/12	VL	Cooling tub left	AA	Atypical						
		V1	Cooling tub	V1	Cooling tub	V1	Cooling tub	V1	Cooling tub	VR	Cooling tub right	XX	Without						
		C1	Doors	C1	Door	C1	Door	C1	Door	XX	Without								
		C2	2x Doors	C2	2x Doors	C2	2x Doors	C2	2x Doors										
		KE	KEG	KE	KEG	KE	KEG	KE	KEG										
				XX	Nothing	XX	Nothing	XX	Nothing										

Drawers 1/2
€ *xxx*

Drawers 1/3
€ *xxx*

Drawers 7/12 + 5/12
€ *xxx*



Drawers 5/12 + 7/12
€ *xxx*

Ladder
€ *xxx*

Door
€ *xxx*



Grate shelf
€ *xxx*



Perforated shelf
€ *xxx*



Glass door
€ *xxx*



Technical drawings - Beverage cooling table







Chambers + Agg.	X	Y	Z
1 Chamber	0972	0685	830+20
2 Chambers	1543	0685	830+20
3 Chambers	2115	0685	830+20
4 Chambers	2686	0685	830+20

Beverage cooling table with aggregate

CODE	CHAMBERS	LENGTH	WIDTH	HEIGHT	PRICE
030601-1C1*SL	1 chamber	0972	0685	830+20	
030601-2C1C1*SL	2 chambers	1543	0685	830+20	
030601-3C1C1C1*SL	3 chambers	2115	0685	830+20	
030601-4C1C1C1C1SL	4 chambers	2686	0685	830+20	
030601-1C1*SR	1 chamber	0972	0685	830+20	
030601-2C1C1*SR	2 chambers	1543	0685	830+20	
030601-3C1C1C1*SR	3 chambers	2115	0685	830+20	
030601-4C1C1C1C1SR	4 chambers	2686	0685	830+20	

*Top plates are **not** included in standard configurations!
** Top plates are ordered separately in neutral equipment!

Beverage cooling table without aggregate and control panel

CODE	CHAMBERS	LENGTH	WIDTH	HEIGHT	PRICE
030601-1C1	1 chamber	0572	0685	830+20	
030601-2C1C1	2 chambers	1143	0685	830+20	
030601-3C1C1C1	3 chambers	1715	0685	830+20	
030601-4C1C1C1C1	4 chambers	2286	0685	830+20	

*Top plates are **not** included in standard configurations!
** Top plates are ordered separately in neutral equipment!

Beverage cooling table with control panel

CODE	CHAMBERS	LENGTH	WIDTH	HEIGHT	PRICE
030601-1C1*XXSL	1chamber	0752	0685	830+20	
030601-2C1C1*XXSL	2 chambers	1323	0685	830+20	
030601-3C1C1C1*XXSL	3 chambers	1895	0685	830+20	
030601-4C1C1C1C1XXSL	4 chambers	2466	0685	830+20	
030601-1C1*XXSR	1 chamber	0752	0685	830+20	
030601-2C1C1*XXSR	2 chambers	1323	0685	830+20	
030601-3C1C1C1*XXSR	3 chambers	1895	0685	830+20	
030601-4C1C1C1C1XXSR	4 chambers	2466	0685	830+20	

*Top plates are **not** included in standard configurations!
** Top plates are ordered separately in neutral equipment!

Renders & Drawings

Drawers 1/2
€ xxx

Drawers 1/3
€ xxx

Door
€ xxx



Glass door
€ xxx



Grate shelf
€ xxx



Perforated shelf
€ xxx



Ladder
€ xxx

Configuration Example

Standard configuration example.
030602-5D2C1D1C1C1SR

030602	- Cooling table GN
5	- Type: 5GN
D2	- 1GN: 1/3+1/3+1/3
C1	- 2GN: Door + sliders
D1	- 3GN: 1/2+1/2
C1	- 4GN: Door + sliders
C1	- 5GN: Door + sliders
SR	- Aggregate: Standard aggregate

Configuration Table

Type		1. GN		2. GN		3. GN		4. GN		5. GN		Aggregate		Control panel		Legs		Lifting		Plinth		Waterproof Aggr. / C. panel	
1	1GN	D1	1/2+1/2	D1	1/2+1/2	D1	1/2+1/2	D1	1/2+1/2	D1	1/2+1/2	SR	Standard right	SR	Standard right	R	Rounded legs	Y	Yes	10	100mm	W	Waterproof
2	2GN	D2	1/3+1/3+1/3	D2	1/3+1/3+1/3	D2	1/3+1/3+1/3	D2	1/3+1/3+1/3	D2	1/3+1/3+1/3	MR	Minimal right	MR	Minimal right	J	Square tube	X	No	15	150mm	X	Without
3	3GN	C1	Door + sliders	C1	Door + sliders	C1	Door + sliders	C1	Door + sliders	C1	Door + sliders	SL	Standard left	SL	Standard left	X	Without legs			16	160mm		
4	4GN	C2	2x Doors + sliders	C2	2x Doors + sliders	C2	2x Doors + sliders	C2	2x Doors + sliders	C2	2x Doors + sliders	ML	Minimal left	ML	Minimal left					17	170mm		
5	5GN			XX	Nothing	XX	Nothing	XX	Nothing	XX	Nothing	VL	Cooling tub left	AA	Atypical					XX	Nothing		
												VR	Cooling tub right	XX	Without contr.								
												XX	Without agg.										

Technical drawings





CUT C-C

Doors and aggregate variations



Types of control panels and aggregates

Aggregate MIN.
270 mm

Aggregate STANDARD
452 mm

Control panel MIN.
100 mm

Control panel STANDARD
180 mm

Cooling tables without aggregate and control panel

CODE	TYPE	LENGTH	WIDTH	HEIGHT	PRICE
030602-1C1	1GN	0557	0685	0700	
030602-2C1C1	2GN	0984	0685	0700	
030602-3C1C1C1	3GN	1476	0685	0700	
030602-4C1C1C1C1	4GN	1968	0685	0700	
030602-5C1C1C1C1C1	5GN	2460	0685	0700	

*Top plates are **not** included in standard configurations!
** Top plates are ordered separately in neutral equipment!

Cooling tables GN

CODE	TYPE	LENGTH	WIDTH	HEIGHT	PRICE
030602-1C1*SR	1GN - Aggr. right	1009	0685	0700	
030602-2C1C1*SR	2GN - Aggr. right	1436	0685	0700	
030602-3C1C1C1*SR	3GN - Aggr. right	1928	0685	0700	
030602-4C1C1C1C1*SR	4GN - Aggr. right	2420	0685	0700	
030602-5C1C1C1C1C1SR	5GN - Aggr. right	2912	0685	0700	
030602-1C1*XXSR	1GN - C. panel right	0737	0685	0700	
030602-2C1C1*XXSR	2GN - C. panel right	1164	0685	0700	
030602-3C1C1C1*XXSR	3GN - C. panel right	1656	0685	0700	
030602-4C1C1C1C1*XXSR	4GN - C. panel right	2148	0685	0700	
030602-5C1C1C1C1C1XXSR	5GN - C. panel right	2640	0685	0700	
030602-1C1*SL	1GN - Aggr. left	1009	0685	0700	
030602-2C1C1*SL	2GN - Aggr. left	1436	0685	0700	
030602-3C1C1C1*SL	3GN - Aggr. left	1928	0685	0700	
030602-4C1C1C1C1*SL	4GN - Aggr. left	2420	0685	0700	
030602-5C1C1C1C1C1SL	5GN - Aggr. left	2912	0685	0700	
030602-1C1*XXSL	1GN - C. panel left	0737	0685	0700	
030602-2C1C1*XXSL	2GN - C. panel left	1164	0685	0700	
030602-3C1C1C1*XXSL	3GN - C. panel left	1656	0685	0700	
030602-4C1C1C1C1*XXSL	4GN - C. panel left	2148	0685	0700	
030602-5C1C1C1C1C1XXSL	5GN - C. panel left	2640	0685	0700	



*Top plates are **not** included in standard configurations!
** Top plates are ordered separately in neutral equipment!

Lifting cooling table GN without aggregate and control panel

CODE	TYPE	LENGTH	WIDTH	HEIGHT	PRICE
030602-1C1*XXXXJY	1GN	0657	0685	0700+140-220	
030602-2C1C1*XXXXJY	2GN	1084	0685	0700+140-220	
030602-3C1C1C1*XXXXJY	3GN	1576	0685	0700+140-220	
030602-4C1C1C1C1*XXXXJY	4GN	2068	0685	0700+140-220	
030602-5C1C1C1C1C1XXXXJY	5GN	2560	0685	0700+140-220	

*Top plates are **not** included in standard configurations!
** Top plates are ordered separately in neutral equipment!

Lifting cooling table

CODE	TYPE	LENGTH	WIDTH	HEIGHT	PRICE
030602-1C1*SRXXJY	1GN - Aggr. right	1109	0685	0700+140-220	
030602-2C1C1*SRXXJY	2GN - Aggr. right	1536	0685	0700+140-220	
030602-3C1C1C1*SRXXJY	3GN - Aggr. right	2028	0685	0700+140-220	
030602-4C1C1C1C1*SRXXJY	4GN - Aggr. right	2520	0685	0700+140-220	
030602-5C1C1C1C1C1SRXXJY	5GN - Aggr. right	3012	0685	0700+140-220	
030602-1C1*XXSRJY	1GN - C. panel right	0837	0685	0700+140-220	
030602-2C1C1*XXSRJY	2GN - C. panel right	1264	0685	0700+140-220	
030602-3C1C1C1*XXSRJY	3GN - C. panel right	1756	0685	0700+140-220	
030602-4C1C1C1C1*XXSRJY	4GN - C. panel right	2248	0685	0700+140-220	
030602-5C1C1C1C1C1XXSRJY	5GN - C. panel right	2740	0685	0700+140-220	
030602-1C1*SLXXJY	1GN - Aggr. left	1109	0685	0700+140-220	
030602-2C1C1*SLXXJY	2GN - Aggr. left	1536	0685	0700+140-220	
030602-3C1C1C1*SLXXJY	3GN - Aggr. left	2028	0685	0700+140-220	
030602-4C1C1C1C1*SLXXJY	4GN - Aggr. left	2520	0685	0700+140-220	
030602-5C1C1C1C1C1SLXXJY	5GN - Aggr. left	3012	0685	0700+140-220	
030602-1C1*XXSLJY	1GN - C. panel left	0837	0685	0700+140-220	
030602-2C1C1*XXSLJY	2GN - C. panel left	1264	0685	0700+140-220	
030602-3C1C1C1*XXSLJY	3GN - C. panel left	1756	0685	0700+140-220	
030602-4C1C1C1C1*XXSLJY	4GN - C. panel left	2248	0685	0700+140-220	
030602-5C1C1C1C1C1XXSLJY	5GN - C. panel left	2740	0685	0700+140-220	

*Top plates are **not** included in standard configurations!
** Top plates are ordered separately in neutral equipment!

Renders & Drawings

Configuration Example

Standard configuration example.
030603-3D1C1D1*SRXX46

030603	- Lowered cooling table GN
3	- Type: 3GN
D1	- 1GN: 100+150
C1	- 2GN: Door + sliders
D1	- 3GN: 100+150
*	- The rest of GN chambers: Nothing
SR	- Aggregate: Standard aggregate
XX	- Control panel: Without
46	- Height: 460mm

Drawers 100 + 150
€ xxx

Drawers 150 + 150
€ xxx



Door
€ xxx



Ladder
€ xxx

Perforated shelf
€ xxx



Grate shelf
€ xxx



Configuration Table

Type		1. GN		2. GN		3. GN		4. GN		5. GN		Aggregate		Control panel		Height		Legs		Lifting		Plinth		Waterproof Aggr. / C. panel	
1	1GN	D1	100+150	D1	100+150	D1	100+150	D1	100+150	D1	100+150	SR	Standard right	SR	Standard right	46	460mm	R	Rounded	Y	Yes	10	100mm	W	Waterproof
2	2GN	D2	150+150	D2	150+150	D2	150+150	D2	150+150	D2	150+150	MR	Minimal right	MR	Minimal right	52	520mm	J	Square tub	X	No	15	150mm	X	Without
3	3GN	D3	1x Drawer	D3	1x Drawer	D3	1x Drawer	D3	1x Drawer	D3	1x Drawer	SL	Standard left	SL	Standard left			X	Without			16	160mm		
4	4GN	C1	Door + sliders	C1	Door + sliders	C1	Door + sliders	C1	Door + sliders	C1	Door + sliders	ML	Minimal left	ML	Minimal left							17	170mm		
5	5GN	C2	2x Door + sliders	C2	2x Doors + sliders	C2	2x Doors + sliders	C2	2x Doors + sliders	C2	2x Doors + sliders	VL	Cooling tub left	AA	Atypical							XX	Without		
				XX	Nothing	XX	Nothing	XX	Nothing	XX	Nothing	VR	Cooling tub right	XX	Without contr.										
												XX	Without agg.												

Lowered cooling table 460 - technical drawings



Lowered cooling table 520 - technical drawings



Lowered cooling tables

CODE (choose between 46 or 52)	TYPE	LENGTH	WIDTH	HEIGHT	
				460 mm	520 mm
030603-1D1*SRXX **(46-52)**	1GN - Aggr. right	0866	0685		
030603-2D1D1*SRXX**(46-52)**	2GN - Aggr. right	1196	0685		
030603-3D1D1D1*SRXX**(46-52)**	3GN - Aggr. right	1630	0685		
030603-4D1D1D1D1*SRXX**(46-52)**	4GN - Aggr. right	2062	0685		
030603-5D1D1D1D1D1SRXX**(46-52)**	5GN - Aggr. right	2460	0685		
030603-1D1*SLXX**(46-52)**	1GN - Aggr. left	0866	0685		
030603-2D1D1*SLXX**(46-52)**	2GN - Aggr. left	1196	0685		
030603-3D1D1D1*SLXX**(46-52)**	3GN - Aggr. left	1630	0685		
030603-4D1D1D1D1*SLXX**(46-52)**	4GN - Aggr. left	2062	0685		
030603-5D1D1D1D1D1SLXX **(46-52)**	5GN - Aggr. left	2460	0685		
030603-1D1*XXSR **(46-52)**	1GN - C. panel right	0716	0685		
030603-2D1D1*XXSR **(46-52)**	2GN - C. panel right	1046	0685		
030603-3D1D1D1*XXSR **(46-52)**	3GN - C. panel right	1480	0685		
030603-4D1D1D1D1*XXSR **(46-52)**	4GN - C. panel right	1912	0685		
030603-5D1D1D1D1D1XXSR **(46-52)**	5GN - C. panel right	2340	0685		
030603-1D1*XXSL **(46-52)**	1GN - C. panel left	0716	0685		
030603-2D1D1*XXSL **(46-52)**	2GN - C. panel left	1046	0685		
030603-3D1D1D1*XXSL **(46-52)**	3GN - C. panel left	1480	0685		
030603-4D1D1D1D1*XXSL **(46-52)**	4GN - C. panel left	1912	0685		
030603-5D1D1D1D1D1XXSL **(46-52)**	5GN - C. panel left	2340	0685		

*Top plates are **not** included in standard configurations!
** Top plates are ordered separately in neutral equipment!

Lowered cooling tables without aggregate and control panel

CODE	TYPE	LENGTH	WIDTH	HEIGHT	PRICE
030603-1D1*XXXX46	1GN - 460mm	0536	0685	0460	
030603-2D1D1*XXXX46	2GN - 460mm	0866	0685	0460	
030603-3D1D1D1*XXXX46	3GN - 460mm	1300	0685	0460	
030603-4D1D1D1D1*XXXX46	4GN - 460mm	1732	0685	0460	
030603-5D1D1D1D1D1XXXX46	5GN - 460mm	2160	0685	0460	
030603-1D1*XXXX52	1GN - 520mm	0536	0685	0460	
030603-2D1D1*XXXX52	2GN - 520mm	0866	0685	0460	
030603-3D1D1D1*XXXX52	3GN - 520mm	1300	0685	0460	
030603-4D1D1D1D1*XXXX52	4GN - 520mm	1732	0685	0460	
030603-5D1D1D1D1D1XXXX52	5GN - 520mm	2160	0685	0460	

*Top plates are **not** included in standard configurations!
** Top plates are ordered separately in neutral equipment!

Renders & Drawings



Drawers 1/2
€ xxx

Drawers 1/3
€ xxx

Door
€ xxx



Glass door
€ xxx



Grate shelf
€ xxx



Perforated shelf
€ xxx



Ladder
€ xxx

Configuration Example

Standard configuration example.
030604-2GND1D1*SR

030604	- Sushi
2GN	- Type: 2GN
D1	- 1. GN: 1/2 + 1/2
D1	- 2. GN: 1/2 + 1/2
*	- The rest of GNs nothing
SR	- Aggregate: Standard right

Configuration Table

Type		1. GN		2. GN		3. GN		Aggregate		Control panel		Legs		Lifting		Plinth		Waterproof Aggr. / C. panel	
1	1GN	D1	1/2+1/2	D1	1/2+1/2	D1	1/2+1/2	SR	Standard right	SR	Standard right	R	Rounded	Y	Yes	10	100mm	W	Waterproof
2	2GN	D2	1/3+1/3+1/3	D2	1/3+1/3+1/3	D2	1/3+1/3+1/3	MR	Minimal right	MR	Minimal right	J	Square tub	X	No	15	150mm	X	Without
3	3GN	C1	Door + sliders	C1	Door + sliders	C1	Door + sliders	SL	Standard left	SL	Standard left	X	Without			16	160mm		
A	Atypical	C2	2x Doors + sliders	C2	2x Doors + sliders	C2	2x Doors + sliders	ML	Minimal left	ML	Minimal left					17	170mm		
				XX	Nothing	XX	Nothing	VL	Cooling tub left	AA	Atypical					XX	Without		
								VR	Cooling tub right	XX	Without contr.								
								XX	Without agg.										

Sushi module

CODE	TYPE	LENGTH	WIDTH	HEIGHT	PRICE
030604-3C1C1C1SRXXJ	3GN	2267	0700	1250	



Renders & Drawings

Configuration Example

Standard configuration example.
030605-5C1C1C1C1C1SR

030605	- Cooling table GN
5	- Type: 5GN
C1	- 1GN: Door
C1	- 2GN: Door
D1	- 3GN: Door
C1	- 4GN: Door
C1	- 5GN: Door
SR	- Aggregate: Standard aggregate

Configuration Table

Type		1. GN		2. GN		3. GN		4. GN		5. GN		Aggregate		Control panel		Legs		Lock		Lifting		Plinth		Waterproof Aggr. / C. panel	
1	1GN	C1	Door	C1	Door	C1	Door	C1	Door	C1	Door	SR	Standard right	SR	Standard right	R	Rounded legs	C	Ano	Y	Yes	10	100mm	W	Waterproof
2	2GN	C2	Doors 2x	C2	Doors 2x	C2	Doors 2x	C2	Doors 2x	C2	Doors 2x	MR	Minimal right	MR	Minimal right	J	Square tube	X	Ne	X	No	15	150mm	X	Without
3	3GN	C3	Glass door	C3	Glass door	C3	Glass door	C3	Glass door	C3	Glass door	SL	Standard left	SL	Standard left	W	Wheels					16	160mm		
4	4GN	C4	Glass doors	C4	Glass doors	C4	Glass doors	C4	Glass doors	C4	Glass doors	ML	Minimal left	ML	Minimal left	X	Without legs					17	170mm		
5	5GN			XX	Nothing	XX	Nothing	XX	Nothing	XX	Nothing	AA	Atypical	AA	Atypical							XX	Nothing		
												XX	Without agg.	XX	Without contr.										

Renders & Drawings

Drawers 1/2
€ xxx

Drawers 1/3
€ xxx

Door
€ xxx



Glass door
€ xxx



Grate shelf
€ xxx



Perforated shelf
€ xxx



Ladder
€ xxx

Configuration Example

Standard configuration example.
030701-3ND1D1D1*SR

030701	- Freezing table GN
3	- Type: 3GN
N	- Lifting: No
D1	- 1GN: 1/2+1/2
D1	- 2GN: 1/2+1/2
D1	- 3GN: 1/2+1/2
*	- The rest of GNs chambers: Nothing
SR	- Aggregate: Standard aggregate

Configuration Table

Type		1. GN		2. GN		3. GN		4. GN		5. GN		Aggregate		Control panel		Legs		Lifti;ng		Plinth		Waterproof Aggr. / C. panel	
1	1GN	D1	1/2+1/2	D1	1/2+1/2	D1	1/2+1/2	D1	1/2+1/2	D1	1/2+1/2	SR	Standard right	SR	Standard right	R	Rounded	Y	Yes	10	100mm	W	Waterproof
2	2GN	D2	1/3+1/3+1/3	D2	1/3+1/3+1/3	D2	1/3+1/3+1/3	D2	1/3+1/3+1/3	D2	1/3+1/3+1/3	MR	Minimal right	MR	Minimal right	J	Square tub	X	No	15	150mm	X	Without
3	3GN	D3	1x Drawer	D3	1x Drawer	D3	1x Drawer	D3	1x Drawer	D3	1x Drawer	SL	Standard left	SL	Standard left	X	Nothing			16	160mm		
4	4GN	C1	Door + sliders	C1	Door + sliders	C1	Door + sliders	C1	Door + sliders	C1	Door + sliders	ML	Minimal left	ML	Minimal left					17	170mm		
5	5GN	C2	2x Doors + sliders	C2	2x Doors + sliders	C2	2x Doors + sliders	C2	2x Doors + sliders	C2	2x Doors + sliders	VL	Cooling tub left	AA	Atypical					XX	Nothing		
				XX	Nothing	XX	Nothing	XX	Nothing	XX	Nothing	VR	Cooling tub right	XX	Without contr.								
												XX	Without agg.										

Technical drawings





CUT C-C

Doors and aggregate variations



Types of control panels and aggregates

Aggregate MIN.
270 mm

Aggregate STANDARD
452 mm

Control panel MIN.
100 mm

Control panel STANDARD
180 mm

Freezing tables GN without aggregate and control panel

CODE	TYPE	LENGTH	WIDTH	HEIGTH	PRICE
030701-1C1	1GN	0557	0685	0700	
030701-2C1C1	2GN	0984	0685	0700	
030701-3C1C1C1	3GN	1476	0685	0700	
030701-4C1C1C1C1	4GN	1968	0685	0700	
030701-5C1C1C1C1C1	5GN	2460	0685	0700	

*Top plates are **not** included in standard configurations!
** Top plates are ordered separately in neutral equipment!

Freezing tables GN

CODE	TYPE	LENGTH	WIDTH	HEIGHT	PRICE
030701-1C1*SR	1GN - Aggr. right	1009	0685	0700	
030701-2C1C1*SR	2GN - Aggr. right	1436	0685	0700	
030701-3C1C1C1*SR	3GN - Aggr. right	1928	0685	0700	
030701-4C1C1C1C1*SR	4GN - Aggr. right	2420	0685	0700	
030701-5C1C1C1C1C1SR	5GN - Aggr. right	2912	0685	0700	
030701-1C1*XXSR	1GN - C. panel right	737	0685	0700	
030701-2C1C1*XXSR	2GN - C. panel right	1164	0685	0700	
030701-3C1C1C1*XXSR	3GN - C. panel right	1656	0685	0700	
030701-4C1C1C1C1*XXSR	4GN - C. panel right	2148	0685	0700	
030701-5C1C1C1C1C1XXSR	5GN - C. panel right	2640	0685	0700	
030701-1C1*SL	1GN - Aggr. left	1009	0685	0700	
030701-2C1C1*SL	2GN - Aggr. left	1436	0685	0700	
030701-3C1C1C1*SL	3GN - Aggr. left	1928	0685	0700	
030701-4C1C1C1C1*SL	4GN - Aggr. left	2420	0685	0700	
030701-5C1C1C1C1C1SL	5GN - Aggr. left	2912	0685	0700	
030701-1C1*XXSL	1GN - C. panel left	737	0685	0700	
030701-2C1C1*XXSL	2GN - C. panel left	1164	0685	0700	
030701-3C1C1C1*XXSL	3GN - C. panel left	1656	0685	0700	
030701-4C1C1C1C1*XXSL	4GN - C. panel left	2148	0685	0700	
030701-5C1C1C1C1C1XXSL	5GN - C. panel left	2640	0685	0700	



*Top plates are **not** included in standard configurations!
** Top plates are ordered separately in neutral equipment!

Lifting freezing tables GN without aggregate and control panel

CODE	TYPE	LENGTH	WIDTH	HEIGHT	PRICE
030701-1C1*XXXXJY	1GN	0657	0685	0700+140-220	
030701-2C1C1*XXXXJY	2GN	1084	0685	0700+140-220	
030701-3C1C1C1*XXXXJY	3GN	1576	0685	0700+140-220	
030701-4C1C1C1C1*XXXXJY	4GN	2068	0685	0700+140-220	
030701-5C1C1C1C1C1XXXXJY	5GN	2560	0685	0700+140-220	

*Top plates are **not** included in standard configurations!
** Top plates are ordered separately in neutral equipment!

Lifting freezing tables GN

CODE	TYPE	LENGTH	WIDTH	HEIGHT	PRICE
030701-1C1*SRXXJY	1GN - Aggr. right	1109	0685	0700+140-220	€ 123 456
030701-2C1C1*SRXXJY	2GN - Aggr. right	1536	0685	0700+140-220	
030701-3C1C1C1*SRXXJY	3GN - Aggr. right	2028	0685	0700+140-220	
030701-4C1C1C1C1*SRXXJY	4GN - Aggr. right	2520	0685	0700+140-220	
030701-5C1C1C1C1C1SRXXJY	5GN - Aggr. right	3012	0685	0700+140-220	
030701-1C1*XXSRJY	1GN - C. panel right	0837	0685	0700+140-220	
030701-2C1C1*XXSRJY	2GN - C. panel right	1264	0685	0700+140-220	
030701-3C1C1C1*XXSRJY	3GN - C. panel right	1756	0685	0700+140-220	
030701-4C1C1C1C1*XXSRJY	4GN - C. panel right	2248	0685	0700+140-220	
030701-5C1C1C1C1C1XXSRJY	5GN - C. panel right	2740	0685	0700+140-220	
030701-1C1*SLXXJY	1GN - Aggr. left	1109	0685	0700+140-220	
030701-2C1C1*SLXXJY	2GN - Aggr. left	1536	0685	0700+140-220	
030701-3C1C1C1*SLXXJY	3GN - Aggr. left	2028	0685	0700+140-220	
030701-4C1C1C1C1*SLXXJY	4GN - Aggr. left	2520	0685	0700+140-220	
030701-5C1C1C1C1C1SLXXJY	5GN - Aggr. left	3012	0685	0700+140-220	
030701-1C1*XXSLJY	1GN - C. panel left	0837	0685	0700+140-220	
030701-2C1C1*XXSLJY	2GN - C. panel left	1264	0685	0700+140-220	
030701-3C1C1C1*XXSLJY	3GN - C. panel left	1756	0685	0700+140-220	
030701-4C1C1C1C1*XXSLJY	4GN - C. panel left	2248	0685	0700+140-220	
030701-5C1C1C1C1C1XXSLJY	5GN - C. panel left	2740	0685	0700+140-220	

*Top plates are **not** included in standard configurations!
** Top plates are ordered separately in neutral equipment!

Renders & Drawings

Drawers 100+150
€ xxx



Drawers 150 + 150
€ xxx

Door
€ xxx



Ladder
€ xxx

Perforated shelf
€ xxx



Grate shelf
€ xxx



Configuration Example

Standard configuration example.
030802-3D1D1D1*SR

030802	- Freezing table GN
3	- Type: 3GN
D1	- 1GN: 100+150
D1	- 2GN: 100+150
D1	- 3GN: 100+150
*	- The rest of GNs: Nothing
SR	- Aggregate: Standard aggregate

Configuration Table

Type		1. GN		2. GN		3. GN		4. GN		5. GN		Aggregate		Control panel		Height		Legs		Lifting		Plinth		Waterproof Aggr. / C. panel	
1	1GN	D1	100+150	D1	100+150	D1	100+150	D1	100+150	D1	100+150	SR	Standard right	SR	Standard right	46	460mm	R	Rounded	Y	Yes	10	100mm	W	Waterproof
2	2GN	D2	150+150	D2	150+150	D2	150+150	D2	150+150	D2	150+150	MR	Minimal right	MR	Minimal right	52	520mm	J	Square tub	X	No	15	150mm	X	Without
3	3GN	C1	Door + sliders	C1	Door + sliders	C1	Door + sliders	C1	Door + sliders	C1	Door + sliders	SL	Standard left	SL	Standard left			X	Nothing			16	160mm		
4	4GN	C2	2x Doors + sliders	C2	2x Doors + sliders	C2	2x Doors + sliders	C2	2x Doors + sliders	C2	2x Doors + sliders	ML	Minimal left	ML	Minimal left							17	170mm		
5	5GN			XX	Nothing	XX	Nothing	XX	Nothing	XX	Nothing	VL	Cooling tub left	AA	Atypical										
												VR	Cooling tub right	XX	Without contr.										
												XX	Without agg.												

Lowered freezing table 460 - technical drawings



Lowered freezing tables

CODE (choose between 46 or 52)	TYPE	LENGTH	WIDTH	HEIGHT	
				460 mm	520 mm
030702-1D1*SRXX **(46-52)**	1GN - Aggr. right	0866	0685		
030702-2D1D1*SRXX **(46-52)**	2GN - Aggr. right	1196	0685		
030702- 3D1D1D1*SRXX **(46-52)**	3GN - Aggr. right	1630	0685		
030702- 4D1D1D1D1*SRXX **(46-52)**	4GN - Aggr. right	2062	0685		
030702- 5D1D1D1D1D1SRXX **(46-52)**	5GN - Aggr. right	2460	0685		
030702-1D1*SLXX **(46-52)**	1GN - Aggr. left	0866	0685		
030702-2D1D1*SLXX **(46-52)**	2GN - Aggr. left	1196	0685		
030702-3D1D1D1*SLXX **(46-52)**	3GN - Aggr. left	1630	0685		
030702-4D1D1D1D1*SLXX **(46-52)**	4GN - Aggr. left	2062	0685		
030702-5D1D1D1D1D1SLXX **(46-52)**	5GN - Aggr. left	2460	0685		
030702-1D1*XXSR **(46-52)**	1GN - C. panel right	0716	0685		
030702-2D1D1*XXSR **(46-52)**	2GN - C. panel right	1046	0685		
030702-3D1D1D1*XXSR **(46-52)**	3GN - C. panel right	1480	0685		
030702-4D1D1D1D1*XXSR **(46-52)**	4GN - C. panel right	1912	0685		
030702-5D1D1D1D1D1XXSR **(46-52)**	5GN - C. panel right	2340	0685		
030702-1D1*XXSL **(46-52)**	1GN - C. panel left	0716	0685		
030702-2D1D1*XXSL **(46-52)**	2GN - C. panel left	1046	0685		
030702-3D1D1D1*XXSL **(46-52)**	3GN - C. panel left	1480	0685		
030702-4D1D1D1D1*XXSL **(46-52)**	4GN - C. panel left	1912	0685		
030702-5D1D1D1D1D1XXSL **(46-52)**	5GN - C. panel left	2340	0685		

*Top plates are **not** included in standard configurations!
** Top plates are ordered separately in neutral equipment!

Lowered freezing table 520 - technical drawings



Lowered freezing tables without aggregate and control panel

CODE	TYPE	LENGTH	WIDTH	PRICE
030702-1D1*XXXX46	1GN - 460mm	0536	0685	
030702-2D1D1*XXXX46	2GN - 460mm	0866	0685	
030702-3D1D1D1*XXXX46	3GN - 460mm	1300	0685	
030702-4D1D1D1D1*XXXX46	4GN - 460mm	1732	0685	
030702-5D1D1D1D1D1XXXX46	5GN - 460mm	2160	0685	
030702-1D1*XXXX52	1GN - 520mm	0536	0685	
030702-2D1C1*XXXX52	2GN - 520mm	0866	0685	
030702-3D1D1D1*XXXX52	3GN - 520mm	1300	0685	
030702-4D1D1D1D1*XXXX52	4GN - 520mm	1732	0685	
030702-5D1D1D1D1D1XXXX52	5GN - 520mm	2160	0685	

*Top plates are **not** included in standard configurations!
** Top plates are ordered separately in neutral equipment!

Renders & Drawings



Configuration Table

Dimension of GN		Orientation of GN		Pieces of GN		Cover	
21	GN 2/1	W	Longer side in width direction „Y“	1	1pc	O	Opened
11	GN 1/1	L	Longer side in length direction „X“	2	2pcs	C	Covered
24	GN 2/4			3	3pcs		
23	GN 2/3			4	4pcs		
12	GN 1/2			5	5pcs		
13	GN 1/3			6	6pcs		
14	GN 1/4						
16	GN 1/6						
19	GN 1/9						
AA	Atypical						

Configuration Example

Standard configuration example.
0308-21W2C

0308 - Cooling extension
W - Longer side in width direction „Y“
2 - 2 GN
C - Covered

Renders & Drawings

Configuration Table

Type		Dimension of GN		Orientation of GN		Pieces of GN		Cover	
IT	Insulated tub	21	GN 2/1	W	Longer side in width direction „Y"	1	1pc	O	Opened
		11	GN 1/1	L	Longer side in length direction „X"	2	2pcs	C	Covered
		24	GN 2/4			3	3pcs		
		23	GN 2/3			4	4pcs		
		12	GN 1/2			5	5pcs		
		13	GN 1/3			6	6pcs		
		14	GN 1/4			7	7pcs		
		16	GN 1/6			8	8pcs		
		19	GN 1/9			9	9pcs		
		AA	Atypical						

Configuration Example

Standard configuration example.
0309-SU

0309 - Cooling extension
SU - Sushi

Insulated tub extension

CODE	PRICE
IT	



Renders & Drawings



Configuration Table

Type		Size	
1DB	1 Dustbin	S	Small
2DB	2 Dustbin	L	Large
3DB	3 Dustbin		

Configuration Example

Standard configuration example.
0310-1DBS

0310 - Cooling box for dustbin
1DB - 1 Dustbin
S - Small

1x Dustbin - small



CODE	PRICE
1DBS	

2x Dustbin - small



CODE	PRICE
2DBS	

3x Dustbin - small





CODE	PRICE
3DBS	

2x Dustbin - large



CODE	PRICE
2DBL	

1x Dustbin - large



CODE	PRICE
1DBL	

3x Dustbin - large



CODE	PRICE
3DBL	

Renders & Drawings

Configuration Table

Type		Ketchup holder		Length	Width	Height
2C	2 Chambers	Y	With holder	0800	0500	1440
3C	3 Chambers	X	Without	1000	0600	
4C	4 Chambers			1200	0700	
AA	Atypical			1400		
				1600		

Configuration Example

Standard configuration example.
0311-2CY-0800x0500x1440

0311 - Sausage counter
2C - Type: 2 Chambers
Y - Ketchup holder: Yes
0800x0500x1440 - Dimensions [mm]

Sausage counter

CODE	TYPE	LENGTH	WIDTH	HEIGHT	PRICE
0311-2CY-1196x710x1440	2 Chambers	1196	710	1440	



gastro.cz
PRODUCTION

www.gastro.cz

1. Neutral Equipment
2. Heating Technique
3. Cooling Technique
4. Trolleys

GASTRO PRODUCTION s.r.o.

PRODUCT CATALOGUE 2018

ZEMEDELSKA 500,
373 81, KAMENNY UJEZD
CZECHIA

www.gastro.cz