

Specification list

Shelves	Handle	Wheels dia.	Wheels hard.	Brakes	Load	Accessories
1x	With 1 handle	ø 65 mm	Super soft	2 Wheels	Light	Upper frame
2x	With 2 handles	ø 75 mm	Special	Fully braked	Heavy	
3x	No handles	ø 100mm	Standard	Without		
		ø 125 mm				
		ø 150 mm				

Illustrative pictures







Serving trolley 1902

	Order number	Price
Serving trolley 1902 - 2	V1-040100-0003	
Serving trolley 1902 - 2, Wheels, supersoft, 125mm	V1-040100-0012	
Serving trolley 1902 - 2, Wheels, supersoft, 150mm	V1-040100-0011	
Serving trolley 1902 - 3	V1-040100-0004	
Serving trolley 1902 - 3, Wheels, supersoft, 125mm	V1-040100-0017	
Serving trolley 1902 - 3, Wheels, supersoft, 150mm	V1-040100-0016	

Specification list	1902-2	1902-3
Width (x) [mm]	1055	1055
Length (x) [mm]	530	530
Height (x) [mm]	850	850
Number of inserts for trays	2	3
Lifting capacity [kg]		
Wheels	ø 125 mm, 2 with brake	
Material	Stainless Steel	





Technical drawing



Serving trolley 1903

	Order number	Price
Serving trolley 1903 - 2	V1-040100-0002	
Serving trolley 1903 - 2 , Wheels, supersoft, 125mm	V1-040100-0010	
Serving trolley 1903 - 2 , Wheels, supersoft, 150mm	V1-040100-0001	
Serving trolley 1903 - 3	V1-040100-0015	
Serving trolley 1903 - 3 , Wheels, supersoft, 125mm	V1-040100-0014	
Serving trolley 1903 - 3 , Wheels, supersoft, 150mm	V1-040100-0013	

Specification list	1903-2	1903-3
Width (x) [mm]	605	605
Length (x) [mm]	405	105
Height (x) [mm]	885	885
Number of inserts for trays	2	3
Lifting capacity [kg]		
Wheels	ø 125 mm, 2 with brake	
Material	Stainless Steel	





Technical drawing


Serving trolley 1904

	Order number	Price
Serving trolley 1904 - 2	V1-040100-0005	
Serving trolley 1904 - 2, Wheels, supersoft, 125mm	V1-040100-0019	
Serving trolley 1904 - 2, Wheels, supersoft, 150mm	V1-040100-0018	
Serving trolley 1904 - 3	V1-040100-0022	
Serving trolley 1904 - 3, Wheels, supersoft, 125mm	V1-040100-0021	
Serving trolley 1904 - 3, Wheels, supersoft, 150mm	V1-040100-0020	

Specification list	1904-2	1904-3
Width (x) [mm]	900	900
Length (x) [mm]	530	530
Height (x) [mm]	970	970
Number of inserts for trays	2	3
Lifting capacity [kg]		
Wheels	ø 125 mm, 2 with brake	
Material	Stainless Steel	

Technical drawing & Illustrative pictures



Serving trolley 1905

	Order number	Price
Serving trolley 1905 - 2	V1-040100-0006	
Serving trolley 1905 - 2, Wheels, supersoft, 125mm	V1-040100-0024	
Serving trolley 1905 - 2, Wheels, supersoft, 150mm	V1-040100-0023	
Serving trolley 1905 - 3	V1-040100-0007	
Serving trolley 1905 - 3, Wheels, supersoft, 125mm	V1-040100-0025	
Serving trolley 1905 - 3, Wheels, supersoft, 150mm	V1-040100-0026	

Specification list	1905-2	1905-3
Width (x) [mm]	1053	1053
Length (x) [mm]	530	530
Height (x) [mm]	970	1070
Number of inserts for trays	2	3
Lifting capacity [kg]		
Wheels	ø 125 mm, 2 with brake	
Material	Stainless Steel	

Technical drawing
