

TROLLEYS

0401 SERVING TROLLEYS

1902

1903

1904

1905

0402 GN TROLLEYS

1906 - 8

1922 - 20

1906 - 10

1926 - 10

1906 - 14

1926 - 12

1906 - 16

1926 - 18

1906 - 18

0403 TROLLEYS FOR BASKET

1919 - 10H DUO

1919 - 10H

1920 - 5H

1920 - 6H

1920 - 8H

0404 BAKING TROLLEYS

1909 - 10Z

1918 - 10Z

1909 - 12Z

1918 - 12Z

1909 - 14Z

1918 - 14Z

1909 - 16Z

1918 - 16Z

1909 - 18Z

1918 - 18Z

1909 - 40Z

1918 - 40Z

0405 TROLLEYS FOR TRAYS

8H

10H

12H

15H

0406 SPECIAL TROLLEYS

Special trolley for cutlery

Special trolley for trays

Special trolley 1941

Special trolley 1950

Special trolley 1951

Special trolley 1936

Special trolley 1925

Special trolley 1929 - 4

Special trolley 1929 - 5

Special trolley for trash

Special narrow trolley for trash

Special narrow lowered trolley for trash

Special lowered trolley for trash

Special trolley for ice cream

Specification list

Shelves	Handle	Wheels dia.	Wheels hard.	Brakes	Load	Accessories
1x	With 1 handle	ø 65 mm	Super soft	2 Wheels	Light	Upper frame
2x	With 2 handles	ø 75 mm	Special	Fully braked	Heavy	
3x	No handles	ø 100mm	Standard	Without		
		ø 125 mm				
		ø 150 mm				

Illustrative pictures







Serving trolley 1902

	Order number	Price
Serving trolley 1902 - 2	V1-040100-0003	
Serving trolley 1902 - 2, Wheels, supersoft, 125mm	V1-040100-0012	
Serving trolley 1902 - 2, Wheels, supersoft, 150mm	V1-040100-0011	
Serving trolley 1902 - 3	V1-040100-0004	
Serving trolley 1902 - 3, Wheels, supersoft, 125mm	V1-040100-0017	
Serving trolley 1902 - 3, Wheels, supersoft, 150mm	V1-040100-0016	

Specification list	1902-2	1902-3
Width (x) [mm]	1055	1055
Length (x) [mm]	530	530
Height (x) [mm]	850	850
Number of inserts for trays	2	3
Lifting capacity [kg]	max. 50 kg per shelf	max. 30 kg per shelf
Wheels	ø 125 mm, 2 with brake	
Material	Stainless Steel	

Technical drawing







Serving trolley 1903

	Order number	Price
Serving trolley 1903 - 2	V1-040100-0002	
Serving trolley 1903 - 2, Wheels, supersoft, 125mm	V1-040100-0010	
Serving trolley 1903 - 2, Wheels, supersoft, 150mm	V1-040100-0001	
Serving trolley 1903 - 3	V1-040100-0015	
Serving trolley 1903 - 3, Wheels, supersoft, 125mm	V1-040100-0014	
Serving trolley 1903 - 3, Wheels, supersoft, 150mm	V1-040100-0013	

Specification list	1903-2	1903-3
Width (x) [mm]	605	605
Length (x) [mm]	405	105
Height (x) [mm]	885	885
Number of inserts for trays	2	3
Lifting capacity [kg]	max. 50 kg per shelf	max. 30 kg per shelf
Wheels	ø 125 mm, 2 with brake	
Material	Stainless Steel	

Technical drawing







Serving trolley 1904

	Order number	Price
Serving trolley 1904 - 2	V1-040100-0005	
Serving trolley 1904 - 2, Wheels, supersoft, 125mm	V1-040100-0019	
Serving trolley 1904 - 2, Wheels, supersoft, 150mm	V1-040100-0018	
Serving trolley 1904 - 3	V1-040100-0022	
Serving trolley 1904 - 3, Wheels, supersoft, 125mm	V1-040100-0021	
Serving trolley 1904 - 3, Wheels, supersoft, 150mm	V1-040100-0020	

Specification list	1904-2	1904-3
Width (x) [mm]	900	900
Length (x) [mm]	530	530
Height (x) [mm]	970	970
Number of inserts for trays	2	3
Lifting capacity [kg]	max. 50 kg per shelf	max. 30 kg per shelf
Wheels	ø 125 mm, 2 with brake	
Material	Stainless Steel	

Technical drawing & Illustrative pictures







Serving trolley 1905

	Order number	Price
Serving trolley 1905 - 2	V1-040100-0006	
Serving trolley 1905 - 2, Wheels, supersoft, 125mm	V1-040100-0024	
Serving trolley 1905 - 2, Wheels, supersoft, 150mm	V1-040100-0023	
Serving trolley 1905 - 3	V1-040100-0007	
Serving trolley 1905 - 3, Wheels, supersoft, 125mm	V1-040100-0025	
Serving trolley 1905 - 3, Wheels, supersoft, 150mm	V1-040100-0026	

Specification list	1905-2	1905-3
Width (x) [mm]	1053	1053
Length (x) [mm]	530	530
Height (x) [mm]	970	1070
Number of inserts for trays	2	3
Lifting capacity [kg]	max. 50 kg per shelf	max. 30 kg per shelf
Wheels	ø 125 mm, 2 with brake	
Material	Stainless Steel	

Technical drawing



Specification list

Inserts	Construction	Type of GN	Wheels dia.	Wheels hard.	Brakes	Load	Accessories
1x	H Design	1/1	ø 65 mm	Super soft	2 Wheels	Light	Cladding
2x	Z Design	1/1+1/3	ø 75 mm	Special	Fully braked	Heavy	Barrier 1x
3x	DUO Design	2/1	ø 100mm	Standard	Without		Barrier 2x
----			ø 125 mm				Cover
40x			ø 150 mm				

Illustrative pictures




GN trolley 1906 - 8 with topplate (B profile)

	Order number	Price
GN trolley 1906 - 8	V1-040200-0001	

Specification list	
Width (x) [mm]	580
Length (x) [mm]	455
Height (x) [mm]	851
Number of inserts	8
Lifting capacity [kg]	max. 5 kg per insert
Wheels	ø 100 mm, 2 with brake
Material	Stainless Steel

Technical drawing & Illustrative pictures




GN trolley 1906 - 10

	Order number	Price
GN trolley 1906 - 10H	V1-040200-0043	
GN trolley 1906 - 10Z	V1-040100-0024	


Specification list

Width (x) [mm]	384
Length (x) [mm]	540
Height (x) [mm]	1600
Number of inserts	10
Lifting capacity [kg]	max. 5 kg per insert
Wheels	ø 100 mm, 2 with brake
Material	Stainless Steel


Technical drawing



Z DESIGN



H DESIGN






GN trolley 1906 - 14

	Order number	Price
GN trolley 1906 - 14H	V1-040200-0041	
GN trolley 1906 - 14Z	V1-040100-0025	

Specification list

Width (x) [mm]	384
Length (x) [mm]	540
Height (x) [mm]	1600
Number of inserts	14
Lifting capacity [kg]	max. 5 kg per insert
Wheels	ø 100 mm, 2 with brake
Material	Stainless Steel

Technical drawing

Z DESIGN

H DESIGN



GN trolley 1906 - 16

	Order number	Price
GN trolley 1906 - 16H	V1-040200-0039	
GN trolley 1906 - 16Z	V1-040200-0024	


Specification list

Width (x) [mm]	384
Length (x) [mm]	540
Height (x) [mm]	1600
Number of inserts	16
Lifting capacity [kg]	max. 5 kg per insert
Wheels	ø 100 mm, 2 with brake
Material	Stainless Steel


Technical drawing



Z DESIGN



H DESIGN





GN trolley 1906 - 18

	Order number	Price
GN trolley 1906 - 18H	V1-040200-0037	
GN trolley 1906 - 18H , 1x Barrier	V1-040200-0036	
GN trolley 1906 - 18H , 2x Barrier	V1-040200-0034	
GN trolley 1906 - 18Z	V1-040200-0022	
GN trolley 1906 - 18Z , 1x Barrier	V1-040200-0020	
GN trolley 1906 - 18Z , 2x Barrier	V1-040200-0018	


Specification list

Width (x) [mm]	384
Length (x) [mm]	540
Height (x) [mm]	1600
Number of inserts	18
Lifting capacity [kg]	max. 5 kg per insert
Wheels	ø 100 mm, 2 with brake
Material	Stainless Steel


Technical drawing



H DESIGN



Z DESIGN




GN trolley 1906 - 18H Duo

	Order number	Price
GN trolley 1906 - 18H duo	V1-040200-0031	
GN trolley 1906 - 18H duo , 1x Barrier	V1-040200-0035	
GN trolley 1906 - 18H duo , 2x Barrier	V1-040200-0033	

Specification list

Width (x) [mm]	743
Length (x) [mm]	540
Height (x) [mm]	1600
Number of inserts	18 + 18
Lifting capacity [kg]	max. 5 kg per insert
Wheels	ø 100 mm, 2 with brake
Material	Stainless Steel

Technical drawing




GN trolley 1906 - 18Z SE

Order number		Price
GN trolley 1906 - 18Z SE	V1-040200-0015	

Specification list		
Width (x) [mm]	384	
Length (x) [mm]	540	
Height (x) [mm]	1620	
Number of inserts	18	
Lifting capacity [kg]	max. 5 kg per insert	
Wheels	ø 125 mm, 2 with brake	
Material	Stainless Steel	

Technical drawing





GN trolley 1922 - 20

	Order number	Price
GN trolley 1922 - 20H	V1-040200-0030	
GN trolley 1922 - 20Z	V1-040200-0014	


Specification list

Width (x) [mm]	384
Length (x) [mm]	540
Height (x) [mm]	1825
Number of inserts	20
Lifting capacity [kg]	max. 5 kg per insert
Wheels	ø 100 mm, 2 with brake
Material	Stainless Steel


Technical drawing



Z DESIGN



H DESIGN




GN trolley 1926 - 10

	Order number	Price
GN trolley 1926 - 10H	V1-040200-0010	
GN trolley 1926 - 10Z	V1-040200-0007	

Specification list	
Width (x) [mm]	585
Length (x) [mm]	660
Height (x) [mm]	1600
Number of inserts	10
Lifting capacity [kg]	max. 5 kg per insert
Wheels	ø 100 mm, 2 with brake
Material	Stainless Steel

Technical drawing




GN trolley 1926 - 12

	Order number	Price
GN trolley 1926 - 12H	V1-040200-0009	
GN trolley 1926 - 12Z	V1-040200-0006	

Specification list

Width (x) [mm]	585
Length (x) [mm]	660
Height (x) [mm]	1600
Number of inserts	12
Lifting capacity [kg]	max. 5 kg per insert
Wheels	ø 100 mm, 2 with brake
Material	Stainless Steel

Technical drawing




GN trolley 1926 - 18

	Order number	Price
GN trolley 1926 - 18H	V1-040200-0008	
GN trolley 1926 - 18Z	V1-040200-0005	

Specification list

Width (x) [mm]	585
Length (x) [mm]	660
Height (x) [mm]	1600
Number of inserts	18
Lifting capacity [kg]	max. 5 kg per insert
Wheels	ø 100 mm, 2 with brake
Material	Stainless Steel

Technical drawing



Specification list

Inserts	Construction	Wheels dia.	Wheels hard.	Brakes	Load	Accessories
1x	H Design	ø 65 mm	Super soft	2 Wheels	Light	Cladding
2x	Z Design	ø 75 mm	Special	Fully braked	Heavy	Barrier 1x
3x	DUO Design	ø 100mm	Standard	Without		Barrier 2x
----		ø 125 mm				
20x		ø 150 mm				

Illustrative pictures




Trolley for basket 1919 - 10 Duo

	Order number	Price
Trolley for basket 1919 - 10 DUO	V1-040300-0008	

Specification list	
Width (x) [mm]	500
Length (x) [mm]	1115
Height (x) [mm]	1600
Number of inserts	10 + 10
Lifting capacity [kg]	max. 5 kg per insert
Wheels	ø 100 mm, 2 with brake
Material	Stainless Steel

Technical drawing




Trolley for basket 1919 - 10H

	Order number	Price
Trolley for basket 1919 - 10H	V1-040300-0007	

Specification list	
Width (x) [mm]	500
Length (x) [mm]	570
Height (x) [mm]	1800
Number of inserts	10
Lifting capacity [kg]	max. 10 kg per insert
Wheels	ø 100 mm, 2 with brake
Material	Stainless Steel

Technical drawing




Trolley for basket 1920 - 5H

	Order number	Price
Trolley for basket 1920 - 5H	V1-040300-0001	

Specification list	
Width (x) [mm]	500
Length (x) [mm]	570
Height (x) [mm]	1600
Number of inserts	5
Lifting capacity [kg]	max. 10 kg per insert
Wheels	ø 100 mm, 2 with brake
Material	Stainless Steel

Technical drawing




Trolley for basket 1920 - 6H

	Order number	Price
Trolley for basket 1920 - 6H	V1-040300-0002	

Specification list	
Width (x) [mm]	500
Length (x) [mm]	570
Height (x) [mm]	1600
Number of inserts	6
Lifting capacity [kg]	max. 10 kg per insert
Wheels	ø 100 mm, 2 with brake
Material	Stainless Steel

Technical drawing




Trolley for basket 1920 - 8H

	Order number	Price
Trolley for basket 1920 - 8H	V1-040300-0005	

Specification list	
Width (x) [mm]	500
Length (x) [mm]	570
Height (x) [mm]	1600
Number of inserts	8
Lifting capacity [kg]	max. 10 kg per insert
Wheels	ø 100 mm, 2 with brake
Material	Stainless Steel

Technical drawing



Specification list

Inserts	Construction	Oven type	Wheels dia.	Wheels hard.	Brakes	Load	Accessories
1x	H Design	Revent	ø 65 mm	Super soft	2 Wheels	Light	Barrier 1x
2x	Z Design	Bagoline	ø 75 mm	Special	Fully braked	Heavy	Barrier 2x
3x			ø 100mm	Standard	Without		
----			ø 125 mm				
40x			ø 150 mm				

Illustrative pictures




Baking trolley 1909 - 10Z

	Order number	Price
Baking trolley 1909 - 10Z	V1-040400-0001	


Specification list

Width (x) [mm]	520
Length (x) [mm]	600
Height (x) [mm]	1800
Number of inserts	10
Lifting capacity [kg]	max. 5 kg per insert
Wheels	ø 100 mm
Material	Stainless Steel

Technical drawing



Z DESIGN




Baking trolley 1909 - 12Z


	Order number	Price
Baking trolley 1909 - 12Z	V1-040400-0003	

Specification list	
Width (x) [mm]	520
Length (x) [mm]	600
Height (x) [mm]	1800
Number of inserts	12
Lifting capacity [kg]	max. 5 kg per insert
Wheels	ø 100 mm
Material	Stainless Steel

Technical drawing



Z DESIGN




Baking trolley 1909 - 14Z


	Order number	Price
Baking trolley 1909 - 14Z	V1-040400-0004	

Specification list		
Width (x) [mm]	520	
Length (x) [mm]	600	
Height (x) [mm]	1800	
Number of inserts	14	
Lifting capacity [kg]	max. 5 kg per insert	
Wheels	ø 100 mm	
Material	Stainless Steel	

Technical drawing



Z DESIGN




Baking trolley 1909 - 16Z

	Order number	Price
Baking trolley 1909 - 16Z	V1-040400-0006	

Specification list	
Width (x) [mm]	520
Length (x) [mm]	600
Height (x) [mm]	1800
Number of inserts	16
Lifting capacity [kg]	max. 5 kg per insert
Wheels	ø 100 mm
Material	Stainless Steel

Technical drawing




Baking trolley 1909 - 18Z


	Order number	Price
Baking trolley 1909 - 18Z	V1-040400-0007	

Specification list	
Width (x) [mm]	520
Length (x) [mm]	600
Height (x) [mm]	1800
Number of inserts	18
Lifting capacity [kg]	max. 5 kg per insert
Wheels	ø 100 mm
Material	Stainless Steel

Technical drawing



Z DESIGN




Baking trolley 1909 - 40Z


	Order number	Price
Baking trolley 1909 - 40Z	V1-040400-0008	

Specification list	
Width (x) [mm]	520
Length (x) [mm]	600
Height (x) [mm]	1800
Number of inserts	40
Lifting capacity [kg]	max. 2 kg per insert
Wheels	ø 100 mm
Material	Stainless Steel

Technical drawing



Z DESIGN




Baking trolley 1918 - 10Z


	Order number	Price
Baking trolley 1918 - 10Z	V1-040400-0009	

Specification list	
Width (x) [mm]	520
Length (x) [mm]	610
Height (x) [mm]	1833
Number of inserts	10
Lifting capacity [kg]	max. 5 kg per insert
Wheels	ø 100 mm
Material	Stainless Steel

Technical drawing



Z DESIGN




Baking trolley 1918 - 12Z

	Order number	Price
Baking trolley 1918 - 12Z	V1-040400-0012	

Specification list	
Width (x) [mm]	520
Length (x) [mm]	610
Height (x) [mm]	1833
Number of inserts	12
Lifting capacity [kg]	max. 5 kg per insert
Wheels	ø 100 mm
Material	Stainless Steel

Technical drawing




Baking trolley 1918 - 14Z

	Order number	Price
Baking trolley 1918 - 14Z	V1-040400-0015	

Specification list	
Width (x) [mm]	520
Length (x) [mm]	610
Height (x) [mm]	1833
Number of inserts	14
Lifting capacity [kg]	max. 5 kg per insert
Wheels	ø 100 mm
Material	Stainless Steel

Technical drawing




Baking trolley 1918 - 16Z


	Order number	Price
Baking trolley 1918 - 16Z	V1-040400-0019	

Specification list		
Width (x) [mm]	520	
Length (x) [mm]	610	
Height (x) [mm]	1833	
Number of inserts	16	
Lifting capacity [kg]	max. 5 kg per insert	
Wheels	ø 100 mm	
Material	Stainless Steel	

Technical drawing



Z DESIGN




Baking trolley 1918 - 18Z

	Order number	Price
Baking trolley 1918 - 18Z	V1-040400-0020	

Specification list		
Width (x) [mm]	520	
Length (x) [mm]	610	
Height (x) [mm]	1833	
Number of inserts	18	
Lifting capacity [kg]	max. 5 kg per insert	
Wheels	ø 100 mm	
Material	Stainless Steel	

Technical drawing




Baking trolley 1918 - 40Z


	Order number	Price
Baking trolley 1918 - 40Z	V1-040400-0025	

Specification list		
Width (x) [mm]	520	
Length (x) [mm]	610	
Height (x) [mm]	1833	
Number of inserts	40	
Lifting capacity [kg]	max. 2 kg per insert	
Wheels	ø 100 mm	
Material	Stainless Steel	

Technical drawing



Z DESIGN



Specification list

Inserts	Construction	Wheels dia.	Wheels hard.	Brakes	Load	Accessories
1x	H Design	ø 65 mm	Super soft	2 Wheels	Light	Barrier 1x
2x	Z Design	ø 75 mm	Special	Fully braked	Heavy	Barrier 2x
3x	DUO Design	ø 100mm	Standard	Without		
----		ø 125 mm				
20x		ø 150 mm				

Illustrative pictures




Trolley fo trays 8H

	Order number	Price
Trolley for trays 8H	V1-040500-0001	

Specification list		
Width (x) [mm]	406	
Length (x) [mm]	500	
Height (x) [mm]	1200	
Number of inserts	8	
Lifting capacity [kg]	max. 5 kg per insert	
Wheels	ø 100 mm	
Material	Stainless Steel	

Technical drawing & Illustrative pictures




Trolley fo trays 10H DUO

	Order number	Price
Trolley for trays 10H DUO	V1-040500-0002	

Specification list	
Width (x) [mm]	785
Length (x) [mm]	500
Height (x) [mm]	1670
Number of inserts	10
Lifting capacity [kg]	max. 5 kg per insert
Wheels	ø 100 mm
Material	Stainless Steel

Technical drawing & Illustrative pictures




Trolley fo trays 12

	Order number	Price
Trolley for trays 12H DUO	V1-040500-0003	
Trolley for trays 12H	V1-040500-0004	


Specification list	12H	12H DUO
Width (x) [mm]	406	785
Length (x) [mm]	500	500
Height (x) [mm]	1690	1690
Number of inserts	12	
Lifting capacity [kg]	max. 5 kg per insert	
Wheels	ø 100 mm	
Material	Stainless Steel	

Technical drawing & Illustrative pictures

H DESIGN



H DUO DESIGN




Trolley fo trays 8H

	Order number	Price
Trolley for trays 8H	V1-040500-0001	

Specification list

Width (x) [mm]	406
Length (x) [mm]	500
Height (x) [mm]	1200
Number of inserts	8
Lifting capacity [kg]	max. 5 kg per insert
Wheels	ø 100 mm
Material	Stainless Steel

Technical drawing & Illustrative pictures



Specification list

Inserts	Construction	Wheels dia.	Wheels hard.	Brakes	Load	Accessories
1x	H Design	ø 65 mm	Super soft	2 Wheels	Light	
2x	Z Design	ø 75 mm	Special	Fully braked	Heavy	
3x	DUO Design	ø 100mm	Standard	Without		
		ø 125 mm				
		ø 150 mm				


Special trolley for cutlery

	Order number	Price
Special trolley for cutlery	30404-018-000	

Specification list		
Width (x) [mm]	821,4	
Length (x) [mm]	580	
Height (x) [mm]	835	

Types I. classic II. lowered

Technical drawing & Illustrative pictures




Special trolley for trays

	Order number	Price
Special trolley for trays	30408-001-000	

Specification list	
Width (x) [mm]	500
Length (x) [mm]	390
Height (x) [mm]	1000
Lifting capacity [kg]	max. 100kg
Material	Stainless Steel

Technical drawing & Illustrative pictures




Special trolley 1941

	Order number	Price
Special trolley 1941	V1-040600-0012	

Specification list		
Width (x) [mm]		620
Length (x) [mm]		575
Height (x) [mm]		720

Technical drawing & Illustrative pictures




Special trolley 1950

	Order number	Price
Special trolley 1950	V1-040600-0013	

Specification list	
Width (x) [mm]	530
Length (x) [mm]	1130
Height (x) [mm]	973

Technical drawing & Illustrative pictures




Special trolley 1951

	Order number	Price
Special trolley 1951	V1-040600-0014	

Specification list	
Width (x) [mm]	530
Length (x) [mm]	670
Height (x) [mm]	900

Technical drawing & Illustrative pictures




Special trolley 1936

	Order number	Price
Special trolley 1936	V1-040600-0015	

Specification list

Width (x) [mm]	800
Length (x) [mm]	500
Height (x) [mm]	990
Lifting capacity [kg]	max. 100kg
Material	Stainless Steel


Technical drawing & Illustrative pictures


Special trolley 1925

	Order number	Price
Special trolley 1925	V1-040600-0009	

Specification list	
Width (x) [mm]	546
Length (x) [mm]	1118
Height (x) [mm]	1050
Lifting capacity [kg]	max. 100kg
Material	Stainless Steel

Technical drawing & Illustrative pictures




Special trolley 1929 - 4

	Order number	Price
Special trolley 1929 - 4	V1-040600-0007	

Specification list	
Width (x) [mm]	475
Length (x) [mm]	523
Height (x) [mm]	1080
Lifting capacity [kg]	max. 100kg
Material	Stainless Steel

Technical drawing & Illustrative pictures




Special trolley 1929 - 5

	Order number	Price
Special trolley 1929 - 5	V1-040600-0008	

Specification list	
Width (x) [mm]	550
Length (x) [mm]	573
Height (x) [mm]	1080
Lifting capacity [kg]	max. 100kg
Material	Stainless Steel

Technical drawing & Illustrative pictures




Special trolley for trash

	Order number	Price
Special trolley for trash	30404-100-000	

Specification list		
Width (x) [mm]		415
Length (x) [mm]		415
Height (x) [mm]		780

Technical drawing & Illustrative pictures




Special narrow trolley for trash

	Order number	Price
Special narrow trolley for trash	30404-200-000	

Specification list		
Width (x) [mm]		415
Length (x) [mm]		320
Height (x) [mm]		780

Technical drawing & Illustrative pictures




Special narrow lowered trolley for trash

	Order number	Price
Special narrow lowered trolley for trash	30404-201-000	

Specification list		
Width (x) [mm]		415
Length (x) [mm]		320
Height (x) [mm]		570

Technical drawing & Illustrative pictures




Special lowered trolley for trash

	Order number	Price
Special lowered trolley for trash	30404-101-000	

Specification list		
Width (x) [mm]		415
Length (x) [mm]		415
Height (x) [mm]		570

Technical drawing & Illustrative pictures




Special trolley for ice cream

	Order number	Price
Special trolley for ice cream		

Specification list	I.	II.
Width (x) [mm]	755	740
Length (x) [mm]	505	400
Height (x) [mm]	750	750

Technical drawing & Illustrative pictures



Model	Order number	Price
GN Trolleys 1908 - 18A	6HZ18-2/08L	
GN Trolleys 1908 - 19A	6HZ19-2/08L	
GN Trolleys 1908 - 19B	6HZ19-2/08U	
GN Trolleys 1906 - 12H	6GH12-2/08	
GN Trolleys 1906 - 15H	6GH15-2/08	
GN Trolleys 1906 - 17H	6GH17-2/08	
GN Trolleys 1906 - 12Z	6GZ12-2/08	
Trolleys for basket 1920 - 6H	6KH06-2/08	
Trolleys for basket 1920 - 8H	6KH08-2/08	
Trolleys for basket 1919 - 5H	V1-0403-1919-5	
Trolleys for basket 1919 - 10H	6KH10-2/08	
Baking trolleys 1909 - 11Z	6PZ11-2/08	
Baking trolleys 1909 - 15Z	6PZ15-2/08	
Baking trolleys 1914 - 15Z	6TZ15-2/08	
Baking trolleys DO/CO	6TZ18-2/08	
Baking trolleys 1918 - 11Z	6RZ11-2/08	
Baking trolleys 1918 - 11Z - COOP	6RZ11-2/08-COOP	
Baking trolleys 1918 - 15Z	6RZ15-2/08	
Baking trolleys 1918 - 15Z - COOP	6RZ15-2/08-COOP	
Baking trolleys 1918 - 19Z	6RZ19-2/08	
Baking trolleys 1918 - 20Z	6RZ20-2/08	
Baking trolleys 1918 - 30Z	6RZ30-2/08	
Special trolleys 1936	6SS10-2/08	
Special trolleys 1933 - A	6SS11-2/08	
Special trolleys 1933 - B	6SS12-2/08	
Special trolleys 1927 - 15	6SS15-2/08	
Special trolleys 1936	6SS16-2/08	
Special trolleys 1929 - 4	V6SS03-2/08	
Special trolleys 1930	30401-007-000	
Special trolleys 1934	30401-021-000	
Special trolleys for pizza	30406-001-000	
Special trolleys Sanovo	30407-001-000	
Disinfection stand	V2-017003-0004B	